CONTENTS

LeRoy Eyring ix

The fluorite-related "solid solutions" of CeO_2–Y_2O_3 I: a re-examination by electron microscopy and diffraction 1
R. Wallenberg, R. Withers, D. J. M. Bevan, J. G. Thompson, P. Barlow and B. G. Hyde (Canberra, Australia)

The fluorite-related "solid solutions" of CeO_2–Y_2O_3 II: a modulated structure approach 17
R. L. Withers, R. Wallenberg, D. J. M. Bevan, J. G. Thompson and B. G. Hyde (Canberra, Australia)

Domain structures and plasticity of ferroelastic materials: case of rare earth sesquioxides and $YBa_2Cu_3O_7$ 29
C. Boulesteix, M. Ben Salem (Marseilles, France) and B. Yangui (Tunis, Tunisia)

LiNaSe, the first inter alkali metal selenide: synthesis and structure 43
W. Bronger, C. Bomba (Aachen, F.R.G.) and H. Sabrowsky (Bochum, F.R.G.)

Synthesis and structure of $Ba_2Zr_6Cl_{17}B$, the missing link in cluster stoichiometries and structures 49
J. Zhang and J. D. Corbett (Ames, IA, U.S.A.)

Preparation, crystalline properties and X-ray absorption spectra of rare earth oxides RO_x ($R \equiv$ Ce, Pr and Tb; $1.5 \leqslant x \leqslant 2$) 59
M. Gasgnier, G. Schiffmacher, L. Albert, P. E. Caro (Meudon, France), H. Dexpert, J. M. Esteva, C. Blancard and R. C. Karnatak (Orsay, France)

Darstellung und struktur von $Th_2Ta_2O_9$ 75
G. Schmidt und R. Gruehn (Giessen, B.R.D.)

Anomalous behavior of the electrical resistivity in alloys near the $PrNi_{5.0}$ composition 87
W. D. Cho and K. A. Gschneidner, Jr. (Ames, IA, U.S.A.)

Das erste oxopraseodymat mit oktaeder-tripel: $Rb_2Li_{14}[Pr_3O_{14}]$ 97
S. Voigt und R. Hoppe (Giessen, B.R.D.)

A new route to charge distributions in ionic solids 105
R. Hoppe, S. Voigt, H. Glaum, J. Kissel, H. P. Müller and K. Bernet (Giessen, F.R.G.)

Bi_4O_7, das erste difinierte binäre bismut (III, V)-oxid 123
B. Begemann und M. Jansen (Bonn, B.R.D.)

Pressure–volume relationships for CeSe and $CeBe_{13}$ up to 25 GPa 137
J. M. Leger and A. M. Redon (Meudon, France)

Thermal decomposition of lithium-inserted NbO_2F 145
L. Permér and M. Lundberg (Stockholm, Sweden)

Hydrogen(deuterium)-stabilized and lithium-intercalated erbium monochloride: an X-ray single-crystal and neutron powder diffraction study 161
T. Schleid and G. Meyer (Giessen, F.R.G.)

© Elsevier Sequoia/Printed in The Netherlands

Neue verbindungen vom typ $M_3Ln_{10}O_{18}$: $BaCa_2Tm_{10}O_{18}$ und $BaCa_2Tm_5Sc_5O_{18}$. Ein beitrag zur besetzung der tunnelstrukturen 173
Hk. Müller-Buschbaum und A. Lenz (Kiel, B.R.D.)

$Ba_3Cu_3(InO_3)_4$: a novel quarternary perovskite derivative 181
L. E. Aleandri and H. G. von Schnering (Stuttgart, F.R.G.)

Synthesis and structure of Gd_4I_5Si and Gd_3I_3Si: the first examples of reduced rare earth halides containing second-row non-metal interstitial atoms 193
D. Nagaki, A. Simon and H. Borrmann (Stuttgart, F.R.G.)

The crucial role of halogen atoms in the formation of Ta_2S_2C 207
R. P. Ziebarth, J. K. Vassiliou and F. J. Disalvo (Ithaca, NY, U.S.A.)

Phase investigations of the Al–Ir system. 213
K. M. Axler, E. M. Foltyn, D. E. Peterson and W. B. Hutchinson (Los Alamos, NM, U.S.A.)

Crystal field analysis of $LaCl_3:Am^{3+}$ and $AmCl_3$ and its relationship to the spectra of frozen solutions of Am^{3+}(aquo) 221
W. T. Carnall (Argonne, IL, U.S.A.)

The structure of a metastable form of SrI_2 by the X-ray Rietveld procedure 237
G. Liu and H. A. Eick (East Lansing, MI, U.S.A.)

Antiferromagnetic-to-ferromagnetic transition in metallic $Tl_{1-x}K_xCo_2Se_2$ ($0 \leqslant x \leqslant 1.0$) with $ThCr_2Si_2$-type structure 247
G. Huan and M. Greenblatt (Piscataway, NJ, U.S.A.)

An X-ray investigation of the phase relationships in the system LaH_2–LaH_3 259
E. Boroch, K. Conder, C. Ru-Xiu and E. Kaldis (Zürich, Switzerland)

Powder neutron diffraction and magnetic susceptibility of $^{248}CmO_2$ 273
L. R. Morss, J. W. Richardson, Jr., C. W. Williams (Argonne, IL, U.S.A.), G. H. Lander (Karlsruhe, F.R.G.), A. C. Lawson (Los Alamos, NM, U.S.A.), N. M. Edelstein and G. V. Shalimoff (Berkeley, CA, U.S.A.)

Solid solution in the $LiAlO_2$–$LiCrO_2$ ternary oxide system 291
K. R. Poeppelmeier and S. H. Thong (Evanston, IL, U.S.A.)

Mass flux, crystal composition and solid solubility studies of the $Hg_{1-x}Mn_xTe$–HgI_2 vapor transport system 299
W. Palosz and H. Wiedemeier (Troy, NY, U.S.A.)

Synthesis, structure and properties of $Mn_{1.5}Mo_8O_{11}$, a unique structure type among compounds having infinite chains of *trans*-edge-shared octahedral cluster units 325
C. D. Carlson, L. F. Brough, P. A. Edwards and R. E. McCarley (Ames, IA, U.S.A.)

Preparation and characterization of Cu(II) oxide 341
B. T. Collins, W. Desisto, R. Kershaw, K. Dwight and A. Wold (Providence, RI, U.S.A.)

Cation and oxygen disorder in the structures $TlSr_2CuO_5$ and $(Pb_{0.63}Cu_{0.37})Sr_2CoO_5$. 347
J. S. Kim, J. S. Swinnea and H. Steinfink (Austin, TX, U.S.A.)

$NiMn_2O_4$ revisited 357
X.-X. Tang, A. Manthiram and J. B. Goodenough (Austin, TX, U.S.A.)

The incongruent effusion of $ZnGa_8S_{13}$(s) 369
J. G. Edwards, D. Ferro and J. K. R. Weber (Toledo, OH, U.S.A.)

Cluster synthesis by photolysis of R_3PAuN_3 IV. Synthesis and structure of $[(Ph_3PAu)_4Mn(CO)_4]PF_6$ 387
G. Beuter and J. Strähle (Tübingen, F.R.G.)

Carbon pairs as structural elements of ternary carbides of the F elements with the late transition metals 397
W. Jeitschko, M. H. Gerss, R.-D. Hoffmann and S. Lee (Münster, F.R.G.)

Investigation of europium–ammonia intercalation compounds of titanium disulfide. 413
P. Colombet, M. Danot, J. Rouxel (Nantes, France) and W. S. Glaunsinger (Tempe, AZ, U.S.A.)

Relation of the Verwey transition in magnetite to an order–disorder transition of strongly correlated electrons 423
J. M. Honig and J. Spałek (West Lafayette, IN, U.S.A.)

Structural and optical properties of hydrated lanthanon uranyl arsenates. 439
P. K. Dorhout, D. M. Sabel, A. B. Ellis (Madison, WI, U.S.A.), M. Martínez-Lara, S. Bruque-Gamez, J. L. Sanchez-Reina and L. Moreno-Real (Malaga, Spain)

AUTHOR INDEX 451

SUBJECT INDEX 453